

Fisher interview

Conducted by :

N°	Date	Locality	Name and number of fisher	Vessel	Gear

Additional note.....

3. Local Species Knowledge

Do you know these species? (tick one for each) show picture page 2:

- *G. altavela* (guitarfish): ☐ Yes ☐ No ☐ Not sure

- *A. bovinus* (bull ray): ☐ Yes ☐ No ☐ Not sure

Local name for *G. altavela* :

Local name for *A. bovinus* :

What other ray species you catch :

Other names/species of rays or sharks you often catch (local name):

4. Catch Frequency

How often do you catch:

- Sharks: ☐ Daily ☐ Weekly ☐ Monthly ☐ Rarely ☐ Never

- Rays: ☐ Daily ☐ Weekly ☐ Monthly ☐ Rarely ☐ Never

- *G. altavela*: ☐ Often ☐ Sometimes ☐ Rarely ☐ Never

- *A. bovinus*: ☐ Often ☐ Sometimes ☐ Rarely ☐ Never

Additional notes :

5. Seasonality & Sizes

When do you mostly catch *G. altavela*? (months/seasons):

When do you mostly catch *A. bovinus*? (months/seasons):

When do you see juveniles of *G. altavela*? ☐ Summer ☐ Autumn ☐ Winter ☐ Spring ☐ All year

When do you see adults of *G. altavela* ? ☐ Summer ☐ Autumn ☐ Winter ☐ Spring ☐ All year

When do you see juveniles of *A. bovinus*? ☐ Summer ☐ Autumn ☐ Winter ☐ Spring ☐ All year

When do you see adults of *A. bovinus* ? ☐ Summer ☐ Autumn ☐ Winter ☐ Spring ☐ All year

Additional notes :



6. Fishing Habitats & Zones

<p>What type of habitat do you mostly fish in? (tick all that apply):</p> <p><input type="checkbox"/> Sandy <input type="checkbox"/> Rocky <input type="checkbox"/> Muddy <input type="checkbox"/> Seagrass (e.g. Posidonia) <input type="checkbox"/> Mixed</p>
<p>Average fishing depth: <input type="checkbox"/> <10 m <input type="checkbox"/> 10–50 m <input type="checkbox"/> 50–100 m <input type="checkbox"/> >100 m</p>
<p>Distance from shore: <input type="checkbox"/> <1 km <input type="checkbox"/> 1–5 km <input type="checkbox"/> 5–10 km <input type="checkbox"/> >10 km</p>
<p>Seafloor or habitat notes (if known):</p>

7. Fishing Effort & Time

<p>How many days per trip? <input type="checkbox"/> Same day <input type="checkbox"/> 1–2 days <input type="checkbox"/> 3+ days</p>
<p>Usual time of landing: <input type="checkbox"/> Morning <input type="checkbox"/> Afternoon <input type="checkbox"/> Evening <input type="checkbox"/> Night</p>

8. Perception and Change

<p>Have catches of <i>G. altavela</i> changed over time? <input type="checkbox"/> Increased <input type="checkbox"/> Decreased <input type="checkbox"/> No change <input type="checkbox"/> Don't know</p>
<p>Have catches of <i>A. bovinus</i> changed over time? <input type="checkbox"/> Increased <input type="checkbox"/> Decreased <input type="checkbox"/> No change <input type="checkbox"/> Don't know</p>
<p>Do you think <i>G. altavela</i> is affected by fishing? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not sure - If yes, how? _____</p>
<p>Do you think <i>A. bovinus</i> is affected by fishing? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not sure - If yes, how? _____</p>
<p>Additional notes :</p>

9. Extra Notes / Observations

<p>Do you release rays? <input type="checkbox"/> Yes <input type="checkbox"/> No - If yes, why? <input type="checkbox"/> Not valuable <input type="checkbox"/> By habit <input type="checkbox"/> Law <input type="checkbox"/> small <input type="checkbox"/> Other: _____</p>
<p>Notes</p>

Gymnura altavela (papillon , سجادة) width : 0.4 - 2.6 m



per month

Depth range

Avg size

MIN size

MAX size

Aetomylaeus bovinus (بقرة , حمامة , حصيرة) width : 0.4 - 2.6 m



per month

Depth range

Avg size

MIN size

MAX size